



## OXFORD 620429

### Measurements

Height (cm)	35
Diameter (cm)	50
Length (cm)	-
Gross weight (kg)	7,7
Net Weight (kg)	5,2

### Packaging

Box 1 (cm)	590x450x330	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,08	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	5
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Wall lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	25
Diameter (cm)	35
Length (cm)	20
Gross weight (kg)	3,1
Net Weight (kg)	2

### Packaging

Box 1 (cm)	335x335x300	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,03	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	2
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Wall lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	30
Diameter (cm)	35
Length (cm)	20
Gross weight (kg)	3,1
Net Weight (kg)	2

### Packaging

Box 1 (cm)	335x335x300	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,03	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	3
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Wall lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	100
Diameter (cm)	70
Length (cm)	
Gross weight (kg)	13,3
Net Weight (kg)	10,1

### Packaging

Box 1 (cm)	850x780x430	1
Box 2 (cm)	-	
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,27	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	5
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	100
Diameter (cm)	70
Length (cm)	
Gross weight (kg)	15
Net Weight (kg)	11,3

### Packaging

Box 1 (cm)	255x203x75	2
Box 2 (cm)	850x780x430	1
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,27	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	6
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	183
Diameter (cm)	116
Length (cm)	
Gross weight (kg)	61
Net Weight (kg)	47

### Packaging

Box 1 (cm)	1212x1080x390	1
Box 2 (cm)	850x780x430	1
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,24	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	30
N° lights by levels	15+10+5
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	100
Diameter (cm)	70
Length (cm)	
Gross weight (kg)	27,2
Net Weight (kg)	11

### Packaging

Box 1 (cm)	255x203x75	2
Box 2 (cm)	850x780x430	1
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,27	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	8
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	240
Diameter (cm)	136
Length (cm)	
Gross weight (kg)	107
Net Weight (kg)	77

### Packaging

Box 1 (cm)	1400x1230x415	1
Box 2 (cm)	850x780x430	2
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	1,25	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	40
N° lights by levels	20+10+10
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620429

### Measurements

Height (cm)	45
Diameter (cm)	15
Length (cm)	-
Gross weight (kg)	1,2
Net Weight (kg)	1,2

### Packaging

Box 1 (cm)	-	-
Box 2 (cm)	-	-
Box 3 (cm)	-	-
Total volume (m <sup>3</sup> )	0,02	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	1
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Table lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620543

### Measurements

Height (cm)	154
Diameter (cm)	47
Length (cm)	-
Gross weight (kg)	23
Net Weight (kg)	17,5

### Packaging

Box 1 (cm)	1680x555x570	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,08	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	6
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Wall lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	130
Diameter (cm)	70
Length (cm)	
Gross weight (kg)	14
Net Weight (kg)	11

### Packaging

Box 1 (cm)	255x203x75	2
Box 2 (cm)	850x780x430	1
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,36	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	12
N° lights by levels	8+4
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620543

### Measurements

Height (cm)	60
Diameter (cm)	45
Length (cm)	-
Gross weight (kg)	6,5
Net Weight (kg)	3,9

### Packaging

Box 1 (cm)	440x440x685	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,08	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	5
N° lights by levels	One level
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	-
Length of mounting chain	-
Installation	Wall lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	150
Diameter (cm)	90
Length (cm)	
Gross weight (kg)	39
Net Weight (kg)	29

### Packaging

Box 1 (cm)	1407x957x560	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,77	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	20
N° lights by levels	10+5+5
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



## OXFORD 620156

### Measurements

Height (cm)	41
Diameter (cm)	30
Length (cm)	
Gross weight (kg)	14
Net Weight (kg)	11

### Packaging

Box 1 (cm)	1300x850x615	1
Box 2 (cm)		
Box 3 (cm)	-	
Total volume (m <sup>3</sup> )	0,68	

### Characteristics

Crystal colour	** Clear / Colour
N° Lights	15
N° lights by levels	10+5
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Chain Material	Iron
Length of mounting chain	1,5 m
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

### Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	E14
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	No
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I